Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Message Text

CONFIDENTIAL

PAGE 01 STATE 125332
ORIGIN OC-06

INFO OCT-01 EUR-12 NEA-11 ISO-00 CCO-00 SY-05 /035 R

DRAFTED BY OC/PE-R:KEFRENCH/DB
APPROVED BY A/OC:WENAEHER
OC/PE:GRYOUNTS
A/OC-EUR:DESEDLACEK
DESIRED DISTRIBUTION
A/SY/FO-EUR:AHANREHAN
----------003092 171844Z /43
R 171626Z MAY 78
FM SECSTATE WASHDC
TO AMEMBASSY ANKARA
INFO AMCONSUL KARACHI
AMCONSUL ISTANBUL

C O N F I D E N T I A L STATE 125332

KARACHI FOR RCO, ISTANBUL FOR CEO-R

E.O. 11652:GDS

TAGS: AMTC, ASEC

SUBJECT: RESIDENCE ALARM

REFS: (A) ANKARA 3676, (B) KARACHI 2234

1. IN CONJUNCTION WITH FM56 OR DM.76 STYLE BASE STATIONS, IT IS TECHNICALLY FEASIBLE TO INSTALL AN ALARM DEVICE AT THE AMBASSADOR'S RESIDENCE. ASSUME THE DEVICE IS INTENDED TO TRIGGER ALARMS LOCATED AT THE EMBASSY. IF LOCAL ALARM OR LIGHTS ARE TO BE ACTIVATED AT THE RESIDENCE, IT WOULD ENTAIL MORE INFORMATION THAN PROVIDED IN REFTELS. SYSTEM COULD EASILY BE PUT IN PLACE USING TYPE 90 ENCODER/DECODERS AND STANDARD PMR CONFIGURATION.
CONFIDENTIAL

CONFIDENTIAL

PAGE 02 STATE 125332

2. REQUEST POST OUTLINE SPECIFIC REQUIREMENTS AND ALSO CITE EQUIPMENTS PRESENTLY IN USE, INCLUDING PMR PACKAGE AND THE TONE FREQUENCY. SIMPLEST SOLUTION WOULD BE AN FM-56 WITH TYPE 99 TONE ENCODER AT RESIDENCE. WOULD ACTIVATE ALARMS AT EMBASSY NORMALLY USED IN CONJUNCTION WITH AMBASSADORIAL LIMOUSINE.

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

3. PLEASE PROVIDE OPERATING FREQUENCIES OF PRESENT EQUIPMENT--NOT SHOWN ON OCMIS. FREQUENCY OF TONE ENCODER. LOCAL VOLTAGE. DO YOU ;AVE TAPE RECORDER HOOKED UP TO

PRESENT PMR? DOES POST HAVE TYPE 99 SELCAL TONE ENCODER?

4. FOR RCO/CEO: DO YOU HAVE NECESSARY MATERIALS ON HAND TO SUPPLY IF PMR INSTALLATION W/FM56 WOULD SATISFY REQUIREMENT?

5. PLEASE ADVISE. VANCE

CONFIDENTIAL

NNN

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 jan 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 17 may 1978
Decaption Date: 01 jan 1960
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 20 Mar 2014
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1978STATE125332
Document Source: CORE
Document Unique ID: 00
Drafter: R:KEFRENCH/DB
Enclosure: n/a
Executive Order: GS
Errors: N/A
Expiration:
Film Number: D780208-0504
Format: TEL
From: STATE
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1978/newtext/t19780548/aaaabotk.tel
Line Count: 74
Litigation Code IDs:
Litigation Codes:
Litigation History:
Locator: TEXT ON-LINE, ON MICROFILM
Message ID: 26e5b39b-c288-dd11-92da-001cc4696bcc
Office: ORIGIN OC
Original Classification: CONFIDENTIAL
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 2
Previous Channel Indicators: n/a
Previous Classification: CONFIDENTIAL
Previous Handling Restrictions: n/a
Reference: 78 ANKARA 3676, 78 KARACHI 2234
Retention: 0
Review Action: RELEASED, APPROVED
Review Content Flags:
Review Date: 09 jun 2005
Review Event:
Review Exemptions: n/a
Review Media Identifier:
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
SAS ID: 2660962
Secure: OPEN
Status: NATIVE
Subject: RESIDENCE ALARM
TAGS: AMTC, ASEC
To: ANKARA
Type: TE
vdkvgwkey: odbc://SAS/SAS.dbo.SAS_Docs/26e5b39b-c288-dd11-92da-001cc4696bcc
Review Markings:
Sheryl P. Walter
Declassified/Released
US Department of State
EO Systematic Review
20 Mar 2014
Markings: Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014